

EC DECLARATION OF CONFORMITY

according to EN45014

We, **KYOCERA MITA CORPORATION**
2-28, 1-chome, Tamatsukuri, Chuo-ku, Osaka, 540-8585 Japan,

declare under our sole responsibility that the product to which
this declaration relates is in conformity with the following specifications.

Product Type: **Mulch-Function Peripherals (Copier, Printer, Scanner, FAX)**
Product Name: **TASKalfa 300ci, TASKalfa 250ci**
Options: **DP-750, DP-760, PF-720, PF-760, DF-780, DF-760,
PH-5, BF-720, MT-720, JS-720, FAX System (Q),
Internet FAX Kit (A), Data Security Kit (E),**

conform the following EC Directives and Standards.

EC DIRECTIVE

[LVD] 2006/95/EEC, 93/68/EEC
[EMC] 2004/108/EC, 93/68/EEC
[R&TTE] 1999/5/EC

EC STANDARDS

[LVD] EN60950-1/2001+A11/2004, EN60825-1/1994+A1/2002+A2/2001
[EMC] EN55022/2006 Class B
EN55024/1998+A1/2001+A2/2003
EN61000-3-2/2006, EN61000-3-3/1995+A1/2001+A2/2005
[R&TTE] EN300 330-1 V1.5.1/2006
EN300 330-2 V1.3.1/2006
TBR 21/1998

Note : First year of labeling to EC-directive 2006/95/EEC and 93/68/EEC : 08

Importer / Distributor for EU
Company Name : KYOCERA MITA EUROPE B.V.
Address : Hoeksteen 40, 2132 MS Hoofddorp, The Netherlands
TEL : +31-20-654-0000, <http://www.kyoceramita-europe.com>

Date:
6 October, 2008



Signature : **YUTAKA SHIGEMURA**, Manager
Reliability Assurance Department 1, Corporate Quality Assurance Division
KYOCERA MITA CORPORATION
2-28, 1-chome, Tamatsukuri, Chuo-ku, Osaka, 540-8585 Japan
TEL : +81-6-6764-3332, FAX : +81-6-6764-3493

Note

EN55024/1998+A1/2001+A2/2003

EN55024:1998

A1:2001 & A2:2003

Our product does not require this amendment.

(NOTE)

TASKalfa 250ci and TASKalfa 300ci is quite same except copy speed.

The copy speed of

	<i>Black and White(A4 copy size)</i>	<i>Full Color (A4 copy size)</i>
<i>TASKalfa 250ci</i>	<i>25copiers/min.</i>	<i>25copiers/min.</i>
<i>TASKalfa 300ci</i>	<i>30copiers/min.</i>	<i>30copiers/min.</i>

(The copy speed of these models is changed only using the software.)

We considered that there would be no effect to EMI when the copy speed was changed only using the software.

In accordance with this consideration, we concluded that the measurement was conducted only for TASKalfa 300ci having the superior specifications.