

# EC DECLARATION OF CONFORMITY

according to EN45014

We, **KYOCERA MITA CORPORATION**  
2-28, 1-chome, Tamatsukuri, Chuo-ku, Osaka, 540-8585 Japan,

declare under our sole responsibility that the product to which  
this declaration relates is in conformity with the following specifications.

Product Type: **Multi-Function Printer (Copier, Printer, Scanner, FAX)**  
Product Name: **TASKalfa 520i, TASKalfa 420i**  
Options: **DP-750, DP-760, PF-720(B), PF-760, DF-780(B), DF-760(B),  
DF-720(B), PH-5C/D, BF-720, MT-720(B), JS-700(B),  
FAX System (S), Internet FAX Kit (A),  
Data Security Kit (E)**

conform the following EC Directives and Standards.

## EC DIRECTIVE

[LVD] 2006/95/EEC, 93/68/EEC  
[EMC] 2004/108/EC, 93/68/EEC  
[R&TTE] 1999/5/EC

## EC STANDARDS

[LVD] EN60950-1/2001+A11/2004, EN60825-1/1994+A1/2002+A2/2001  
[EMC] EN55022/2006 Class B  
EN55024/1998+A1/2001+A2/2003  
EN61000-3-2/2006, EN61000-3-3/1995+A1/2001+A2/2005  
[R&TTE] EN300 330-1 V1.5.1/2006  
EN300 330-2 V1.3.1/2006  
TBR 21/1998

Note : First year of labeling to EC-directive 2006/95/EEC and 93/68/EEC : 09

Importer / Distributor for EU

Company Name : KYOCERA MITA EUROPE B.V.

Address : Hoeksteen 40, 2132 MS Hoofddorp, The Netherlands

TEL : +31-20-654-0000, <http://www.kyoceramita-europe.com>

Date:

4 August, 2009



Signature : **YUTAKA SHIGEMURA**, Manager

Reliability Assurance Department 1, Corporate Quality Assurance Division

KYOCERA MITA CORPORATION

2-28, 1-chome, Tamatsukuri, Chuo-ku, Osaka, 540-8585 Japan

TEL : +81-6-6764-3332, FAX : +81-6-6764-3493

# ***Note***

**EN55024/1998+A1/2001+A2/2003**

*EN55024:1998*

*A1:2001 & A2:2003*

*Our product does not require this amendment.*

## (Note)

*TASKalfa 420i and TASKalfa 520i is quite same except copy speed.*

*The copy speed of*

*TASKalfa 420i: 42 copies/min. (A4 copy size)*

*TASKalfa 520i: 52 copies/min. (A4 copy size)*

*(The copy speed of these models is changed only using the software.)*

*We considered that there would be no effect to EMI when the copy speed was changed only using the software.*

*In accordance with this consideration, we concluded that the measurement was conducted only for TASKalfa 520i having the superior specifications.*